## **●SOT-25 Power Dissipation**

Power dissipation data for the SOT-25 is shown in this page.

The value of power dissipation varies with the mount board conditions.

Please use this data as one of reference data taken in the described condition.

## 1. Measurement Condition (Reference data)

Condition: Mount on a board

Ambient: Natural convection

Soldering: Lead (Pb) free

Board Dimensions: Dimensions 40 x 40 mm (1600 mm2 in one side)

Copper (Cu) traces occupy 50% of the board area

In top and back faces


Package heat-sink is tied to the copper traces

(Board of SOT-26 is used)

Material: Glass Epoxy (FR-4)

Thickness: 1.6mm

Through-hole: 4 x 0.8 Diameter




Evaluation Board (Unit: mm)

# 2. Power Dissipation vs. Ambient temperature

## Board Mount (Tjmax=125°C)

Ambient Temperature (°C)	Power Dissipation Pd (mW)	θja(°C/W)	
25	600	166.67	
85	240	166.67	



## •SOT-25 Power Dissipation(JESD51-7)

Power dissipation data for the SOT-25 is shown in this page.

The value of power dissipation varies with the mount board conditions.

Please use this data as one of reference data taken in the described condition.

### 1. Measurement Condition (Reference data)

Condition: Mount on a board

Ambient: Natural convection

Soldering: Lead (Pb) free

Board Dimensions: 76.2mm × 114.3mm (8700mm<sup>2</sup> in one side)

1st inner layer : No copper foil

Package heat-sink is tied to the copper traces

2nd inner layer :  $70\text{mm} \times 70\text{mm}$ \_with heat sink

3rd inner layer: 70mm × 70mm with heat sink

4th inner layer : No copper foil


Each heat sink back metal is connected to the

Inner layers respectively.

Material : Glass Epoxy (FR-4)

Thickness: 1.6mm

Through-hole:  $\phi$  0.2mm 60 個




評価基板レイアウト(単位:mm)

### 2. Power Dissipation vs. Ambient temperature

#### Board Mount (Tjmax=125°C)

Ambient	Power Dissipation Pd (mW)	0: (0= 11)	
Temperature (°C)		θja(°C/W)	
25	760	424.50	
105	152	131.58	



### ●SOT-25 Power Dissipation ※Tjmax=150°C

Power dissipation data for the SOT-25 is shown in this page.

The value of power dissipation varies with the mount board conditions.

Please use this data as one of reference data taken in the described condition.

### 1. Measurement Condition (Reference data)

Condition: Mount on a board Ambient: Natural convection Soldering: Lead (Pb) free Board Dimensions:

Dimensions 40 x 40 mm (1600 mm2 in one side) Copper (Cu) traces occupy 50% of the board area


In top and back faces

Package heat-sink is tied to the copper traces

(Board of SOT-26 is used) Material : Glass Epoxy(FR-4)

Thickness: 1.6mm

Through-hole: 4 x 0.8 Diameter



Evaluation Board Layout (Unit:mm)

#### 2. Power Dissipation vs. Ambient temperature

#### Board Mount (Timax = 150°C)

Bear a Medite (1) max 100 07						
Ambient Temperature(°C)	Power Dissipation Pd(mW)		θ ja(°C/W)			
	Ta max=125°C	Ta max=150°C				
25	750	750				
125	150	150	166.67			
150	0	0				

